

## 5DP 38rc Sensor

Line Voltage PIR Occupancy Detector

Created By **TRIDONIC**

Powered By **CASAMBI**



### Features & Benefits:

- Ambient light dependent control and presence detection
- Surface and flush mounting options
- Shutters included to optimize sensor detection area

### Product Description

The 5DP 38rc sensor supports presence detection and daylight control and is designed that it can be used together with the Energio system.

## Specifications:

---

### AC Input:

Voltage range: 120-277 VAC

---

### Details:

Mounting height max. 13.12 feet

Detection range: 26 feet at 10 foot mounting height

Detection angle 53°

Light measurement 1 – 2,000 lx ( 775 20 %)

Operating temperature 32 ... +122 °F

Type of protection IP20

## Ordering Information:


---

### Part Number:


5DP 38rc US 28002800

### Description:

PIR Occupancy and Daylight Sensor



Dimensions in mm / inch



## Detection Range:

h	d1	d2	r
6.56 feet	17.39 feet	8.20 feet	8.86 feet
8.20 feet	21.65 feet	10.17 feet	10.83 feet
9.84 feet	26.25 feet	12.14 feet	13.12 feet
11.48 feet	30.51 feet	14.44 feet	15.09 feet
13.12 feet	34.78 feet	16.4 feet	17.39 feet